

LOG BOOK

This log book has a total of 19 pages • Also available at www.superspa.be

- 00. OBLIGATION TO SORT BIO-WASTE
- 01. TIMETABLE • FRIDAY 04, SATURDAY 05, SUNDAY 06
- 02. MAP OF THE PADDOCK
- 03. HOW AND WHEN TO REACH THE PADDOCK ?
- 04. SIGNING ON
- 05. TRANSPONDERS
- 06. MANDATORY SAFETY EQUIPMENT
- 07. INSPECTION OF EQUIPMENT
- 08. SCRUTINEERING OF THE CAR
- 09. BRIEFING : SCHEDULE
- 10. REGULATIONS
- 11. NOISE REGULATIONS
- 12. RADIO COMMUNICATION AUTHORISATION
- 13. OIL POLLUTION PREVENTION
- 14. SECURITY FIRE INSTRUCTIONS / FUEL
- 15. MANDATORY SAFETY EQUIPMENT



GO TO
RACE RESULTS



GO TO
VIRTUAL NOTICE BOARD



00. Obligation to sort bio-waste

From now on all bio-waste must be subject to specific sorting. The entire site will be equipped with a certain number of bins dedicated specifically to bio-waste, along with the usual all-purpose, PMC (plastic, metal, drink containers), paper/cardboard bins and bottle banks. These bins will be located in boxes, near “food & beverage” outlets, paddocks, etc.

The Spa-Francorchamps Circuit herewith asks that you scrupulously respect these new legal obligations. Penalties may be imposed in the event of proven infringements.



01. Timetable • Friday 04, Saturday 05, Sunday 06

V2 • Dated 19/09/2024

FRIDAY, OCTOBER 4

				<u>Grid</u>
09.00 — 09.25	25'	Free Practice	France Trophées SPA-2024	7
09.35 — 10.05	30'	Free Practice	Ferdinand Cup	8
10.15 — 10.45	30'	Qualifying	ACNN/DNRT • MAX5 Racing & Westfield Cup	4
10.50 — 11.20	30'	Qualifying	ACNN/DNRT • PTC Racing Cup	3
11.30 — 11.50	20'	Qualifying 1	ADAC Graf Berghe von Trips Pokal	1
12.00 — 12.20	20'	Qualifying 1	Historic Monoposto Racing	5
12.30 — 12.55	25'	Qualifying	France Trophées SPA-2024	7
13.05 — 13.35	30'	Qualifying	Ferdinand Cup	8
13.50 — 14.10	20'	Qualifying 2	ADAC Graf Berghe von Trips Pokal	1
14.20 — 14.50	30'	Qualifying	ACNN/DNRT • BMW 330i Cup & Dutch Racing Trophy & PCR & DTC	2
15.03 — 15.33	30'	Race 1	ACNN/DNRT • MAX5 Racing & Westfield Cup	4
15.40 — 16.10	30'	Race 1	ACNN/DNRT • PTC Racing Cup	3
16.25 — 16.45	20'	Qualifying	Trophée Kent & Challenge Formula Ford Historic France	6
17.00 — 17.20	20'	Race 1	ADAC Graf Berghe von Trips Pokal	1
17.35 — 17.55	20'	Race 1	Historic Monoposto Racing	5

SATURDAY, OCTOBER 5

09.00 — 09.20	20'	Qualifying 2	Historic Monoposto Racing	5
09.30 — 09.55	25'	Qualifying 1	Historic Championship '65 & '81 and Spa Ardennes Chal.	9
10.05 — 10.55	50'	Race 1	ACNN/DNRT • BMW 330i Cup & Dutch Racing Trophy & PCR & DTC	2
11.00 — 11.30	30'	Race 2	ACNN/DNRT • MAX5 Racing & Westfield Cup	4
11.40 — 12.00	20'	Race 2	ADAC Graf Berghe von Trips Pokal	1
12.15 — 13.16	61'	Race	France Trophées SPA-2024	7
13.30 — 14.20	50'	Race 1	Ferdinand Cup	8
14.35 — 14.55	20'	Race 2	Historic Monoposto Racing	5
15.10 — 15.35	25'	Qualifying 2	Historic Championship '65 & '81 and Spa Ardennes Chal.	9
15.50 — 16.15	25'	Race 1	Trophée Kent & Challenge Formula Ford Historic France	6
16.30 — 17.00	30'	Race 2	ACNN/DNRT • PTC Racing Cup	3
17.05 — 17.55	50'	Race 2	ACNN/DNRT • BMW 330i Cup & Dutch Racing Trophy & PCR & DTC	2

SUNDAY, OCTOBER 6

09.00 — 09.45	45'	Qualifying	100 Series by BGDC & TTE Pirelli Series	10
09.55 — 10.45	50'	Race 1	Historic Championship '65 & '81 and Spa Ardennes Chal.	9
11.00 — 12.00	60'	Race 2	Ferdinand Cup	8
12.15 — 12.40	25'	Race 2	Trophée Kent & Challenge Formula Ford Historic France	6
12.50 — 13.40	50'	Race 2	Historic Championship '65 & '81 and Spa Ardennes Chal.	9
13.55 — 17.55	240'	Race	100 Series by BGDC & TTE Pirelli Series	10

Rolling start for all
Some series will be under light (or specific) starting procedure

02. Map of the Paddock



03. How and When to reach the paddock ?

For all the series • See the Map of the Paddock

- In due time, you will get from your promoter series an email with an “**Authorized Access Pass**” in PDF format.
- Print that PDF page and give it to the steward at the Gate:

FOR TRUCKS • MECHANICS • CAR-WORKSHOP • CAR + TRAILER:

→ **Entrance BLANCHIMONT gate** (maximum 4m height permitted)
Motorway Verviers - St.Vith (E421-A27) → Exit n°11 : Stavelot

FOR PRIVATE CARS:

→ **Entrance BLANCHIMONT gate** (maximum 4m height permitted)
Motorway Verviers - St.Vith (E421-A27) → Exit n°11 : Stavelot

 **!! STER gate is closed for cars. Pedestrian Only.**

In exchange for the “Authorized Access Pass” page, the steward will stick on the windscreen of your vehicle the correct sticker-pass, according to the function of your vehicle.

When you have the sticker on your windscreen you are free to leave or enter the paddock or car park 24h/24h through **BLANCHIMONT gate**.

WHEN :

Thursday, October 3:	from 20:30 to 22:30 <i>The teams arriving before 20:30 or after 22:30 will be parked on standby in the karting area outside the circuit.</i>
Friday, October 4:	from 07:00 to 22:30
Saturday, October 5:	from 07:00

04. Signing on

➔ **For Historic Championship 65' & 81' : Refer to the specific FHR procedures**

For all the other drivers, please go to room 115, 1st floor of the F1 Pit Building. Take your equipment with you.

Location: **1st floor of the F1 Pit Building - Room 115**

Friday, October 4:	from 07:30 till 18:00
Saturday, October 5:	from 08:00 till <u>60 minutes before your practices</u>
Sunday, October 6:	from 07:30 till 09:00

➤ **Wristbands will be given to each team and driver.**

05. Transponders

Transponders will be recorded in the signing on room at the same time as your licence check. Only AMB transponders will be used. If your car has no transponder or a Chronolec transponder, we will provide you an AMB transponder in exchange for the licence of the driver.

06. Mandatory Safety Equipment

RACB Sport would like to remind what is the minimum equipment required to compete in Belgium, in order to avoid drivers being forced to buy new equipment on site or, at the worst being prevented from racing. **See Mandatory Safety Equipment at the end of this book**.

07. Inspection of Equipment

→ For Historic Championship 65' & 81' : Refer to the specific FHR procedures

At signing on, you will get your personal **Inspection of Equipment** form.

The Equipment of each driver must be inspected. Inspection of equipment (helmet, overalls, gloves, shoes...) will be done in the room 127, 1st floor F1 Pit Building. **See Mandatory Safety Equipment at the end of this book**.

→ For 100 series by BGDC : Refer to the specific procedures of your series

Location: room 127, 1st floor F1 Pit Building.

Friday, October 4:	from 07:30 till 12:30 & from 15:30 till 16:30
Saturday, October 5:	from 08:00 till 09:00 & from 15:00 till 18:00
Sunday, October 6:	from 07:45 till 08:45

08. Scrutineering of the Car

→ For Historic Championship 65' & 81' : Refer to the specific FHR procedures

At signing on, you will get your Scrutineering of the Car form as well as the practical details to reach the technical area. **See Mandatory Safety Equipment at the end of this book**.

- Cars located in F1 garages or Endurance garages will be checked in their garage.
The scrutineer goes to the car.
- Cars located inside the paddock will be checked in their own paddock.
The car goes to the scrutineer area.

For all series technical control will follow the timing of the qualifying sessions.

09. Briefing : Schedule

Briefing is **mandatory** for all drivers. If no fine for non-presence at the briefing is mentioned in the series regulations, a fine of 250 EUR will be charged for non-presence at the briefing(s).

Location: **1st floor Pit Building - Room 132**

	FRIDAY 4	SAT. 5	SUN. 6
#1. ADAC GRAF BERGHE VON TRIPS POKAL	09:50		
#2. ACNN/DNRT • BMW 330I CUP & DUTCH RACING TROPHY & PCR & DTC	13:00		
#3. ACNN/DNRT • PTC RACING CUP	09:10		
#4. ACNN/DNRT • MAX5 RACING & WESTFIELD CUP	08:30		
#5. HISTORIC MONOPOSTO RACING	10:35		
#6. FORMULA FORD 1600	14:30		
#7. FRANCE TROPHÉES SPA-2024	11:10		
#8. FERDINAND CUP	11:50		
#9. HISTORIC CHAMPIONSHIP '65 & '81 and SPA ARDENNES CHAL.		08:00	
#10. 100 SERIES BY BGDC & TTE PIRELLI SERIES			08:10

10. Regulations

- Regulations of the Meeting and the Series – [See website](#)
- Penalties applied by the Race Director – [See website](#)

11. Noise Regulations

Whatever the car, drivers must meet the noise standards set by the circuit.

The maximum sound level permitted is mentioned for each race in the timetable of the meeting.

This is the maximum sound level per car, on the track (dynamic control), measured at 15m from the centreline of the track.

If the noise limit is not respected, the car is stopped and a static control is carried out. However, should it be observed that the car exceeds on three consecutive occasions the maximum permitted during the dynamic control, it will be excluded from the meeting.

12. Radio Communication Authorisation

Official communication from the Belgian Institute for Postal services and Telecommunications (BIPT)


Every user of radio communication equipment is obliged to be in possession of the authorization title to use his equipment on the circuit of Spa-Francorchamps during the meeting of the SuperSPA.

Controls will be carried out by the BIPT at Spa-Francorchamps and, in the event of non-compliance, may result in legal proceedings and seizure of radio equipment.

It is therefore imperative to apply for the required permits [via the BIPT website](#).

Read also: <https://www.bipt.be/consumers/events>

BIPT also points out that the equipment used must comply with the regulations. Some companies would provide non-compliant equipment. One of the sine qua non conditions for a material to comply is that it bears the CE marking.




Pay attention, the "CE" marking should not be confused with the label "China Export ». Any non-compliant equipment will be seized by BIPT.

13. Oil Pollution Prevention

Official communication from the management of the Spa-Francorchamps circuit.

Every team must use a sheet of plastic or an oil drip tray under the racing car to protect the ground against oil pollution. If the soil is oil stained, please use oil absorbent granules to clean before leaving the circuit. For every remaining oil stain a penalty of 250 EUR is invoiced by the circuit management to the team.



F1 garages: please avoid stains, scratches and deterioration in the floor and walls.

14. Security Fire Instructions / Fuel

Security Fire Instructions / Fuel – 1/3

Fuel Safety Rules

No smoking

—



**Fire extinguisher
ready**

—



**Metal jerry cans
ONLY
(on the ground
prior to filling)**

—



**Securely tied
for
transportation**



Security Fire Instructions / Fuel – 2/3

APPENDIX 2 : FIRE PREVENTION REQUIREMENTS



B – 4970 STAVELOT
Route de Malmedy 17
☐ 080/88.02.42
☐ 080/88.01.39

27 March, 2013.

your correspondent : Guy CLOSE
E-mail : incendie@stavelot.be

Subject: fire safety- plans for the paddocks

Transportation and transferral of flammable materials:

- the total quantity transported must not exceed 240l per unit of transportation
- use securely closed metal containers with a maximum capacity of 60 litres
- compulsory presence of an assistant equipped with an extinguisher (6 kg powder or 6 litres foam)
- no combustible items within proximity of transported hydrocarbon (e.g. tyres)
- no smoking or naked flames; keep away from ignited items, sparks, welding, etc.
- containers must be kept closed at all times whether empty or full
- transportation must be made in a utility vehicle designed for carrying loads
- correct electrical connection between the metallic container and earth before filling or emptying;
during such operations the containers must be unloaded from the vehicle in advance
- it is prohibited to enter the unloading area of a covered vehicle transporting flammable liquids with mobile lighting equipment other than that designed and built to avoid igniting flammable vapours which may have been released within the interior.

Where the transportation is made by towing:

- Maximum fuel storage per pit garage is 240 L
- the towing vehicle must be capable of towing and braking the load
- the tyres of the trailer must be suited to the type of ground in question and to the speeds reached by the towing vehicle
- the towing hook and trailer attachment must be CE approved
- a safety cable or chain secured to the trailing arm must be used to connect the towing hook
- each barrel must be individually secured
- a technical Marshal or assessor must be present while the pumps are opened to ensure that these safety regulations are observed and sanction those in breach.

Handling fuel within the pit:

- hand pumps, pneumatic pumps or explosion-proof electrical pumps. NO batteries
- compulsory presence of a supervisor equipped with an extinguisher and located 2 metres from the refuelling point
- fire-resistant clothing to be worn by persons located within 2 metres
- ensure stability and earthing of refuelling towers
- compulsory presence of absorptive substance in the stand - never water
- compulsory presence of 2 extinguishers (6 kg powder or 6 l foam) in each stand

Security Fire Instructions / Fuel – 3/3

APPENDIX 2 : FIRE PREVENTION REQUIREMENTS



B – 4970 STAVELOT
Route de Malmedy 17
 ☐ 080/88.02.42
 ☐ 080/88.01.39

27 March, 2013.

No smoking or naked flames:

- in the entire area around the tanker lorry
- in the pit lane, in the stands, and within 5 metres of the back of the stands
- above the stands (boxes, mezzanines)

NO L.P.G. canisters:

- in the pit lane, in the stands, and within 5 metres of the back of the stands
- in any vehicle (authorised in marquees and under awnings)

No occupation of clearway/run-off areas:

- all the paddock road clearways.
- the 1 metre-wide clearway behind the stands.

N.B. : Authorised behind the stands: truck loading platform if lowered.
 Banners delimiting the stand if easily crossable.

Conformity of electric and gas installations:

- standards must be met
- gas and electric supply lines must be protected

Lt. Guy CLOSE,
 Chef de Corps ff.

15. MANDATORY SAFETY EQUIPMENT



Page 1 of 8

DATE: Friday, Januari 05th 2024

OBJECT: Safety equipment of historic cars competing in Belgium

RACB Sport would like to remind what is the minimum equipment required to compete in Belgium, in order to avoid drivers being forced to buy new stuff on site or, at the worst being prevented from racing, which nobody likes to see.

Here are the main FIA safety rules for cars following Appendix K:

Remark : all drivers- and car equipment's must be fitted with a FIA hologram except the socks.

Driver equipment:

- Garments –

FIA 8856-2000

(FIA technical list N° 27)

FIA 8856-2018

(FIA technical list N° 74)



(Embroidered on the backside of the collar)




- Shoes, gloves - **FIA standards 8856-2000**

(FIA Technical List N° 27)

FIA standards 8856-2018

(FIA technical list N° 74)



- NO REGULATION VALUE -



Underwear, balaclava


FIA standard 8856-2000.
(FIA Technical list N° 27)

FIA standard 8856-2018
(FIA Technical list N° 74)

In compliance with FIA
Standard 8856-2000
Manufacturer name
Year of manufacture: 2016



In compliance with
FIA Standard 8856-2018
DC.XXX.XX-X
"Manufacturer's name"
Not valid after: 20XX



Socks

In compliance with
FIA Standard 8856-2018
Manufacturer name
Name of manufacturer
Homologation N°: DC.XXX.XX-X
Not valid after: 20XX

no hologram

FIA homologated helmet:
(FIA Technical list N° 25,33, 41, 49 and 69)

STANDARD DESIGNATION	LABEL EXAMPLE	Recognised to be used with FHR ¹	Recognised to be used without FHR
FIA 8860-2018 and 8860-2018-ABP	 In compliance with: FIA Standard 8860-2018 Manufacturer Name: Name of Manufacturer Serial N°: xxx xxx Model Name Homologation N°: AH.XXX.XX-X Date of Manufacture: JAN 2018 Size: XS OR In compliance with: FIA Standard 8860-2018-ABP Manufacturer Name: Name of Manufacturer Serial N°: xxx xxx Model Name Homologation N°: AH.XXX.XX-X-ABP Date of Manufacture: JAN 2018 Size: XS	YES	YES
FIA 8860-2010 NOT VALID AFTER 31.12.2028	 In compliance with: FIA Standard 8860-2010 Manufacturer Name: Name of Manufacturer Homologation N°: AH.XXX.XX-X Date of Manufacture: JAN 2010 Size: XS OR In compliance with: FIA Standard 8860-2010 Manufacturer Name: Name of Manufacturer Serial N°: xxx xxx Model Name Homologation N°: AH.XXX.XX-X Date of Manufacture: JAN 2013 Size: XS	YES	YES
FIA 8859-2015	 In compliance with: FIA Standard 8859-2015 Manufacturer Name: Name of Manufacturer Serial N°: xxx xxx Model Name Homologation N°: PA.XXX.XX-X Date of Manufacture: JAN 2015 Size: XS	YES	YES


- NO REGULATION VALUE -




FIA Standard 8860-2010
(FIA Technical List FIA N° 33)



FIA Standard 8859-2010
(FIA Technical List FIA N° 49)



FIA Standard 8860-2018
(FIA Technical List FIA N° 69)



Car Equipment:

- Safety harness (If required by regulation),

FIA standard 8853/98 et 8854/98
(FIA Technical List N° 24)

FIA standard 8853-2016
(FIA Technical List N° 57)



- NO REGULATION VALUE -



- Racing seat, if original seats are changed it must be for seat system for which the FIA Homologation is valid.

(See mention NOT VALID AFTER xxxx)

FIA standards 8855-1999 (valid 5 years)

(Liste technique FIA N° 12 & 39)

NOUVELLE ETIQUETTE EN VIGUEUR A
COMPTER DU 01.01.2012 JUSQU'AU 31.12.2013
NEW LABEL IN EFFECT FROM 01.01.2012
UNTIL 31.12.2013

	In compliance with: FIA Standard 8855-1999	
	Manufacturer Name:	Name of Manufacturer
	Serial n°:	xxx xxx
	Model:	Model Name
	Homologation N°:	CS.454.14
Date of Manufacture:		MAY 2012

NOUVELLE ETIQUETTE EN VIGUEUR A
COMPTER DU 01.01.2014
NEW LABEL IN EFFECT AS OF 01.01.2014

	In compliance with: FIA Standard 8855-1999	
	Manufacturer Name:	Name of Manufacturer
	Serial N°:	xxx xxx
	Model:	Model Name
	Homologation N°:	CS.454.14
Not valid after:		2019



SIEGES REVALIDÉS AVANT LE 01.07.2017
SEATS RE-VALIDATED BEFORE 01.07.2017

Homologation label (see above)
+
Manufacturer label with quality inspection stamp and
new validity date

SIEGES REVALIDÉS A PARTIR DU 01.07.2017
SEATS RE-VALIDATED AS FROM 01.07.2017

	In compliance with: FIA Standard 8855-1999	
	Manufacturer Name:	Name of Manufacturer
	Serial N°:	xxx xxx
	Model:	Model Name
	Homologation N°:	CS.454.14
Not valid after:		2019
This label is valid without the original homologation label		Life Extension

FIA standards 8862-2010 (valid 10 years)

(Liste technique FIA N° 40)

NON VALABLE
APRÈS LE 31.12.2021
NOT VALID AFTER
31.12.2021

	In compliance with: FIA Standard 8862-2009	
	Manufacturer Name:	Name of Manufacturer
	Model:	Model Name
	Homologation No:	AS.454.14
Serial No.:	NOT VALID AFTER:	

	In compliance with: FIA Standard 8862-2009	
	Manufacturer Name:	Name of Manufacturer
	Model:	Model Name
	Homologation No:	AS.454.14
Serial No.:	NOT VALID AFTER:	

NOUVELLE ETIQUETTE EN VIGUEUR
A COMPTER DU 01.01.2012
NEW LABEL IN EFFECT AS FROM
01.01.2012

	In compliance with: FIA Standard 8862-2009	
	Manufacturer Name:	Name of Manufacturer
	Serial n°:	xxx xxx
	Model:	Model Name
	Homologation N°:	AS.454.14
Not valid after:		2021

FIA standards 8855-2021 (valid 10 ans)

(Liste technique FIA N° 91)

	In compliance with: FIA Standard 8855-2021	
	Manufacturer Name:	Name of Manufacturer
	Serial N°:	xxx xxx
	Model:	Model Name
	Homologation N°:	CS.454.14
Not valid after:		2031

- NO REGULATION VALUE -



- Handheld fire extinguisher, min 2kg powder / 2.4ltr AFFF, fixed with a purpose-built cradle bolted to the car body and retaining metallic bands through this, as opposed to just retaining straps attached directly to the body.
(FIA Technical list N° 16)



It is recommended to use installed systems (FIA technical list 16), in that case extinguisher bottle must be attached with metallic band tightened with screws.



All fire extinguishers must have been inspected within two years with the dated inspection sticker clearly visible.

FIA standards 8865-2015 - FIA standards 8876-2022
(FIA Technical List N° 52 & 97)

		In compliance with: FIA Standard 8865-2015	Homologation label
Manufacturer Name: Name of Manufacturer Serial N°: xxx xxx		Model Name Homologation N°: EX 00X 10 Type of Extinguisher: Powder ABC medium Range of Temperature: 18°C to 55°C Classification: 2015 Type III in accordance with Art. 9 of Article 252 of the 2014 Appendix J Weight/Volume: 2.4kg / 2.4ltr * Compliance: 2015 kg * Expiry: 2015	

Classification des feux :

- Class I – Essence conformément à l’Art. 9 de l’Article 252 de l’Annexe J 2014
- Class II – Essence + jusqu’à 30% d’éthanol
- Class III – Diesel conformément à l’Art. 9 de l’Article 252 de l’Annexe J 2014
- Class IV – Ethanol jusqu’à 100% ou méthanol jusqu’à 100%
- Class V – Autre carburant spécifique

Couleur de fond de l’étiquette :

- Class I – blanc
- Class II – jaune
- Class III – argent
- Class IV – vert
- Class V – turquoise

Un agent extincteur approuvé à utiliser avec plusieurs classes de feu – or

	Service carried out by: Name: Name of Manufacturer Serial N°: xxx xxx Date of Completion: JAN 2019 Date of Next Inspection: JAN 2021	Maintenance label
SAMPLE		

Classification of fires:

- Class I – Petrol in accordance with Art. 9 of Article 252 of the 2014 Appendix J
- Class II – Petrol + up to 30% ethanol
- Class III – Diesel in accordance with Art. 9 of Article 252 of the 2014 Appendix J
- Class IV – Ethanol up to 100% or methanol up to 100%
- Class V – Any other specific fuel

Label background colours:

- Class I – white
- Class II – yellow
- Class III – silver
- Class IV – green
- Class V – turquoise

An extinguishing medium approved for use on more than one class of fire – gold

- Circuit breaker controlled easily from inside by the driver seated.
(See App J – Art.253.13)

- NO REGULATION VALUE -



- Metal tow ring (between 80 mm and 100 mm) or towing strap, front and rear, indicated with a contrasting color arrow on the body (not for single-seat cars).
- A red rain light is mandatory, mounted less than 10 cm from the car center-line of the back of the car. The light must be either incandescent and of a power of at least 21 Watts, or of LED type.
(FIA Technical list N° 19)

FIA standard 8853-2016
(Liste technique FIA N° 76)



- The fuel tank must be filled with safety foam.
(Other than original)

NON VALABLE APRÈS LE 31.12.2017
NOT VALID AFTER 31.12.2017



NOUVELLE ETIQUETTE EN VIGUEUR A
COMPTER DU 01.01.2013
NEW LABEL IN EFFECT AS FROM 01.01.2013



RESERVOIRS RECERTIFIES AVANT LE
01.07.2017
BLADDERS RE-CERTIFIED BEFORE 01.07.2017



RESERVOIRS RECERTIFIES A PARTIR DU
01.07.2017
BLADDERS RE-CERTIFIED AS FROM
01.07.2017



This label substitutes the homologation label

In the case of an aluminum tank there is no validity date and must be in excellent condition.

In case of a safety fuel tank (FT3-1999, FT3.5-1999 & FT5-1999) is required or installed it must be within the validity of homologation (Appendix J Art. 253.14).

- NO REGULATION VALUE -




- The ROPS (Roll Over Protection Structure) must conform to appendix K.



It must be padded with FIA 8857-2001 type A approved foam where driver helmet could come in contact with the ROPS.

(FIA Technical list N° 23)

The structure in all open cars must be a minimum of 5 cm above the top of the driver's and co-drivers helmets at all times.



- Two rear-view mirrors must be fitted, with min. total glass area of 90 cm².

- NO REGULATION VALUE -



FHR wearing : (Frontal Head Restraint)

The proof of “period specification” is always to be provided by the competitor.

- Is mandatory for the F1 from period G (from 01/01/1968).
- Is mandatory for Young Timer (period J1 & J2 from 01/01/1982)
- Frontal Head Restraint [FHR system] will probably be mandatory in the coming years for all cars Old Timer **but strongly recommended**.
- **Will be mandatory in 2025.**

(FIA Technical Lists N° 29 et 36)

FIA standards 8858-2002 ou 8858-2010

Systèmes de retenue frontale de la tête (RFT) approuvés par la FIA FIA approved frontal head restraint (FHR) systems	
<p>1. Système HANS®/ HANS® system</p> <p>Les systèmes Hans doivent être approuvés selon les normes FIA 8858-2002 ou 8858-2010 HANS devices shall be approved according to FIA standards 8858-2002 or 8858-2010</p> <p>Veillez consulter la Liste Technique n° 29 pour connaître les systèmes HANS approuvés par la FIA. Please consult Technical List n° 29 to see which HANS devices are approved by the FIA</p>	
<p>2. Système Hybrid®/ Hybrid® system</p> <p>Les systèmes Hybrid doivent être approuvés selon la norme FIA 8858-2010 Hybrid devices shall be approved according to FIA standard 8858-2010</p> <p>Veillez consulter la Liste Technique n° 29 pour connaître les systèmes Hybrid approuvés par la FIA. Please consult Technical List n° 29 to see which Hybrid devices are approved by the FIA</p>	
<p>3. Système Hybrid Pro®/ Hybrid Pro® system</p> <p>Les systèmes Hybrid Pro doivent être approuvés selon la norme FIA 8858-2010 Hybrid Pro devices shall be approved according to FIA standard 8858-2010</p> <p>Veillez consulter la Liste Technique n° 29 pour connaître les systèmes Hybrid Pro approuvés par la FIA. Please consult Technical List n° 29 to see which Hybrid Pro devices are approved by the FIA</p>	
<p>4. Système HANS® Adjustable/ HANS® Adjustable system</p> <p>Les systèmes HANS® Adjustable doivent être approuvés selon les normes FIA 8858-2010 HANS® Adjustable devices shall be approved according to FIA standard 8858-2010</p> <p>Veillez consulter la Liste Technique n° 29 pour connaître les systèmes HANS® Adjustable approuvés par la FIA. Please consult Technical List n° 29 to see which HANS® Adjustable devices are approved by the FIA</p>	

**ETIQUETTE APOSEE SUR LES SYSTEMES
RFT FABRIQUES AVANT LE 01.01.2013
LABEL USED ON FHR SYSTEMS
MANUFACTURED BEFORE 01.01.2013**

**NOUVELLE ETIQUETTE EN VIGUEUR A
COMPTER DU 01.01.2013
NEW LABEL IN EFFECT AS FROM 01.01.2013**



- When buying new harness pay attention that some harness can only be used with the Frontal Head Restraint system. (FHR only)
- When buying new equipment, always check carefully that this equipment has the latest homologation. (FIA ISO6940, FIA-1986, ...)

- NO REGULATION VALUE -